

# GRAPHISTRENGTH® PRODUCT LINE

## High Performance Multi-Wall Carbon Nanotubes Masterbatches

### GENERAL DESCRIPTION OF THE PRODUCT OFFER:

Reference	Description Matrices targeted	MWNT content (wt %)	Applications	Status
C M1-20	PA12	20	ESD* PA12 materials	Commercial
C M2-20	Copolyamide	20	ESD PA materials, hot melt adhesives	Commercial
C M4-30	PE	30	ESD PE materials	Commercial
C M5-30	PC	30	ESD PC materials	Development
C M6-25	PA6	25	ESD PA6 materials	Commercial
C M7-20	PA6.6	20	ESD PA6.6 materials	Commercial
C M12-30	Multipurpose	30	ESD engineering thermoplastics	Commercial
C M14-25	PP	25	ESD PP materials	Commercial
C HDPE1-25	HDPE	25	Mechanical reinforcement HDPE	Commercial
C M17-20	PEKK	20	ESD PEKK materials	Commercial
C TPU1-20	Polyurethane	20	ESD TPU materials	Development
C S1-25	Epoxy MB** for thermoset dispersion	25	ESD & mechanical reinforcement for thermoset	Commercial
C W2-45	Water soluble MB	45	ESD for hydro-soluble dispersion	Commercial
CPU1-30	Polyol ether based MB	30	ESD & mechanical reinforcement for PU and TPU	Development
CPU2-30	Polyol ester based MB	30	ESD & mechanical reinforcement for PU and TPU	Commercial
C E1-20	FKM	20	ESD & mechanical reinforcement	Commercial
C E2-40	Nitrile	40	ESD & mechanical reinforcement	Commercial
C E EPDM-20	EPDM	20	ESD & mechanical reinforcement	Commercial

ESD\*: Electro Static Dissipation

MB\*\*: Solid Masterbatch, concentrate to be dispersed in liquid

**Contacts:**

- [www.graphistrength.com](http://www.graphistrength.com)
- **Europe**  
Arkema France –  
+33 (0)5 59 92 66 07
- **Asia**  
Arkema China –  
+86 (0) 21 6147 6780  
Arkema Japan –  
+ 81 (0)75 326 7430
- **North America**  
Arkema Inc. –  
+1 610 878 69 92

The information contained in this document is based on trials carried out by our Research Centers and data selected from the literature, but shall in no event be held to constitute or imply any warranty, undertaking, expressed or implied commitment from our part. Our formal specifications define the limit of our commitment. No liability whatsoever can be accepted by Arkema with regard to the handling, processing, or use of the product or products concerned - which must in all cases be employed in accordance with all relevant laws and/or regulations in force in the country or countries concerned.

The statements, technical information, and recommendations contained herein are believed to be accurate as of the date hereof. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, ARKEMA expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information; NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE GOODS DESCRIBED OR THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be applicable when such product is used in combination with other materials, or in any process. The user should thoroughly test any application before commercialization. Nothing contained herein constitutes a license to practice under any patent and it should not be construed as an inducement to infringe any patent and the user is advised to take appropriate steps to be sure that any proposed use of the product will not result in patent infringement. See MSDS for Health & Safety Considerations.

Arkema France  
420, rue d'Estienne d'Orves  
92705 COLOMBES Cedex – France  
Tel.: + 33 1 49 00 80 80 - Fax: 33 1 49 00 83 96  
[www.arkema.com](http://www.arkema.com)